



OBVan 4K HDR

the "Gentle Giant"



Technical Partners:



Snell
Advanced
Media




Newcomer and flagship of the fleet is the OBVan 4 , triple expansion truck 4K HDR Two video and two audio control rooms managing completely separated all sources able to supply any type of production, Host signal and National integration onboard at the same time. This "Gentle Giant" was born after a long, expensive and ambitious project that definitely ranks among the most advanced mobile production units in Europe .



TECHNICAL DETAILS

- Up 28 Cameras Grass Valley LDX86N 4K Native
- Mixer Video Snell Kahuna Sam 9600 IP-3G FULL Format Fusion 4 management control and conversion UHD - HDR - SDR
- Video Server EVS XTVIA with fiber network 10 gb (Up 30 Ch UHD input 12 Ch UHD Output) Xfiles and multireview system
- Hybrid Matrix Snell Sirius Sam 840 IP-3G-fiber 576x576 full redundant
- Multiview Grass Valley Miranda Kaleido MX 3G 4K - no monitor borders
- Reference Monitor 4K HDR Canon DP 2410
- Tvlogic 4K monitoring
- SPG system Tektronix Dual SPG 8000 with Eco 8000
- Analyzer and WFM 8300 Tektronix 3G 4K HDR
- Mixer Audio Lawo MC2 56 MKII primary surface 48 + 16 faders, secondary surface Lawo MC2 56 16 + 16 faders
- Audio Matrix Lawo Nova 73
- Intercom Clearcom Eclipse HX with 256 port madi - ip - embedded frespeek II IP digital, analog and wireless apps support
- Management and control system Virtual Studio Manager medium up 6400x6400 crosspoint full redundant
- Fiber Network 10gbs for remote position with wireless access point
- Modular Snell Digital Glue IP
- Processor Sam UHD 1100 and SV2000
- Audio Analyzer n°2 Wholer AMP1-E8-MDA and n°1 Wholer AMP1-MADIE-MM
- Dante and Ravenna IP Support for remote audio positions
- lawo LCU and Glensound Dante commentary positions with Dante technology
- Fiber Transceivers with CWDM support barnfind barnone for multi cameras and signal transport
- Lawo V-Series for remote productions

OBVan 4K HDR



NVP.it



Broadcast & Obvan

NVP s.r.l.

C/da Gebbia Grande 1B - 98068 San Piero Patti (ME)
Tel. +39 0941 660301 / +39 0941 660363 - Fax +39 0941 660435
commerciale@nvp.it - www.nvp.it

OB6 NVP 4K HDR


"The Big Brother"





TECHNICAL DETAILS

- MAIN PRODUCTION AREA
EVS whit 6 operator
- SECONDARY PRODUCTION AREA
EVS whit 3 operator
- TECHNICAL AREA



- Up 28 Cameras Grass Valley LDX86N 4K Native
- Mixer Video Snell Kahuna Sam 9600 IP-3G FULL Format Fusion 4 management control and conversion UHD - HDR - SDR
- Video Server EVS XTVIA with fiber network 10 gb (Up 30 Ch UHD input 12 Ch UHD Output) Xfiles and multireview system
- Hybrid Matrix Snell Sirius Sam 840 IP-3G-fiber 576x576 full redundant
- Multiview Grass Valley Miranda Kaleido MX 3G 4K - no monitor borders
- Reference Monitor 4K HDR Canon DP 2410
- Tvlogic 4K monitoring
- SPG system Tektronix Dual SPG 8000 with Eco 8000
- Analyzer and WFM 8200 Tektronix 3G 4K HDR
- Mixer Audio Lawo MC2 56 MKII primary surface 48 + 16 faders, secondary surface Lawo MC2 56 16 + 16 faders
- Audio Matrix Lawo Nova 73
- Intercom Clearcom Eclipse HX with 256 port madi - ip - embedded frespeak II IP digital, analog and wireless apps support
- Management and control system Virtual Studio Manager medium up 6400x6400 crosspoint full redundant
- Fiber Network 10gbs for remote position with wireless access point
- Modular Snell Digital Glue IP
- Processor Sam UHD 1100 and SV2000
- Audio Analyzer n°2 Wholer AMP1-E8-MDA and n°1 Wholer AMP1-MADIE-MM
- Dante and Ravenna IP Support for remote audio positions
- lawo LCU and Glensound Dante commentary positions with Dante technology
- Fiber Transceivers with CWDM support barnfind barnone for multi cameras and signal transport
- Lawo V-Series for remote productions



NVP

BROADCAST TELEVISION

NVP s.r.l.

C/da Gebbia Grande 1B - 98068 San Piero Patti (ME)

Tel. +39 0941 660301 / +39 0941 660363 - Fax +39 0941 660435

commerciale@nvp.it - www.nvp.it

